

Trade Name:

## MATERIAL DATA SHEET TAGLUS TUFF

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/ UNDERTAKING

**TAGLUS TUFF** 

Other Name(s):	PETG Copolyester Sheet
Usage:	Plastic sheet products
Supplier:	Vedia Solutions www.taglus.com; info@taglus.com
Emergency Telephone:	+91 9403230233

### 2. HAZARDS IDENTIFICATION

This material is classified as not hazardous under OSHA regulations. Under normal conditions of use, this product is not expected to create any unusual industrial hazards. Irritating gases/fumes may be given off during burning or thermal decomposition. Contact with hot material will cause thermal burns.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Characterization: 100% PETG Copolyester [Proprietary]



### 4. FIRST AID MEASURES

Inhalation: Move to fresh air in case of

accidental inhalation of dust or fumes

from overheating or combustion.

Skin Contact: Cool melted product on skin with plenty of

water.

Do not remove solidified product. Get medical attention if thermal burn occurs.

Eye Contact: In case of contact, flush eyes with

plenty of lukewarm water.

Ingestion: Get medical attention.

#### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Dry water fog, dry chemical, carbon dioxide

CO2

Specific Fire Hazards: Toxic and irritating gases/fumes may be given

off during burning or thermal decomposition.

Special Protective Equipment & Precaution for Fire Fighters:

Wear a self-contained breathing apparatus

and chemical protective clothing.

### 6. ACCIDENTAL RELEASE MEASURES

Personal Precaution: If molten, allow material to cool and

place into an appropriate marked



container for disposal. Do not breathe

vapors or dust.

Environmental Precaution: Do not release into the environment, such as

into drains.

Methods for Cleaning Up: Sweep up and shovel into suitable

containers for disposal.

#### 7. HANDLING AND STORAGE

Max. Storage Temperature: 120°F (49°C)

Handling: Handle in accordance with good

industrial hygiene and safety practices. Wash thoroughly after handling. Avoid

creating dust.

Storage: Containers should be tightly closed to

prevent contamination with foreign materials and moisture. Protect

equipment(e.g. storage bins, conveyors, dust collectors) with explosion vents.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits: Not applicable

Ventilation Measures: Provide good ventilation and/or an exhaust

system

in the work area. Respiratory Protection: In the case of dust, use respirator with an

approved filter.

Hand Protection: Wear heat resistant gloves when handling

molten material.



Eye Protection: Safety glasses with side-shields

Skin & Body Protection: No special skin protection requirements

during normal handling and use.

Other Protective Measures: Wash hands before breaks and after work.

Educate and train employees in the safe

use and handling of this product.

Purgings should be collected as small flat thin shapes or thin strands to allow for

rapid cooling.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Optical Clear Sheets

Color: Transparent

Odor: Odorless

pH: Not applicable

Melting Point: Not available

Boiling Point: Not available

Decomposition Temperature: 716°F (380°C)

approx. Flash Point: > 842°F (> 450°C)

Auto-ignition Temperature: 880°F (471°C)

Explosion Limits: Not available

Evaporation Rate: Not applicable

Vapor Pressure: Not applicable

Vapor Density: Not applicable

Relative Density: 1.27

Solubility: Insoluble



#### 10. STABILITY AND REACTIVITY

Stability: Stable. Hazardous polymerization di	tability:	Stable. Hazardous polymeriza	tion does
--	-----------	------------------------------	-----------

not occur.

Conditions to Avoid: Protect from excessive heat. Keep away

from sources of ignition and heat.

Avoid dust formation.

Materials to Avoid: None under normal conditions of use.

Hazardous Decomposition

Products: Thermal decomposition or combustion may

emit vapors, carbon monoxide, or carbon

dioxide.

#### 11. TOXICOLOGICAL INFORMATION

This product should not be harmful under normal conditions of use.

Inhalation: Unlikely to be harmful by inhalation

under ambient temperature. At high temperature, products of thermal decomposition can be irritating to the

respiratory system.

Skin Contact: Not a skin sensitizer, and is non-irritating

to skin under ambient temperature. At high temperature, contact with the

product can cause serious burns.

Ingestion: Unlikely to be harmful by ingestion under

ambient temperature.

Eye Contact: This product in the form of dustcan be

irritating to the eyes. At high temperature, products of thermal decomposition can be

irritating to the eyes.

Carcinogenity Non-carcinogenic



Toxicity Data: Acute oral toxicity LD50 = > 3,200 mg/kg

(rat, male) Acute oral toxicity LD50 = >

3,200 mg/kg (mouse, male)

Acute dermal toxicity LD50 = > 1,000

mg/kg (guinea pig)

Skin irritation = slightly irritating (guinea pig)

Eye irritation = slightly irritating (rabbit) Eye Irritation = non-irritating

(guinea pig)

#### 12. ECOLOGICAL INFORMATION

This product is a solid, inert product with low volatility, and is essentially insoluble in water.

Eco toxicity This product should have low toxicity to

aquatic and terrestrial organisms.

Mobility: Due to the solid nature of this product, it

should have low mobility in soil.

Persistence & Degradability: This product is non-biodegradable.

Bio accumulation: This solid product has a low

potential for bioaccumulation.

Effect in Sewage Plants: May be separated mechanically.

Ecological Data: Fish toxicity LC50/96-hr = > 100 mg/l

pimephales promelas)

Aquatic invertebrates toxicity LC50/96-hr =

> 100 mg/l (daphnia magna)

# **A TAGLUS**

### MATERIAL DATA SHEET TAGLUS TUFF

#### 13. DISPOSAL CONSIDERATIONS

Waste disposal should be in accordance with all countries federal, state and local environmental laws and regulations.

#### 14. TRANSPORT INFORMATION

Transport Information Regulated for shipping? No

Proper Shipping Name TAGLUS Aligner and or

Retainer Packing Group NA

Do changes in quantity, packaging, or shipment method change product classification? NA

Hazard Class NA; Identification Number NA;

Other Special shipping notes: This product is not regulated by DOT, IMO,

IATA, and Canadian TDG and associated regulation, ADR or RID.

#### 15. REGULATORY INFORMATION

OSHA Hazard Communication: Non-hazardous

Toxic Substances Control Act: Listed CERCLA Hazardous

Substances (40 CFR 302): None

SARA Section 311/312: Non-

hazardous SARA Section 302 Extremely

**Hazardous Substances** 

(40 CFR 355, Appendix A): None

SARA Section 313 Toxic



Chemicals (40 CFR 372.65): None

**RCRA Hazardous Wastes** 

(40 CFR 261): When this product becomes a waste, it

is identified as a solid but NOT hazardous waste under RCRA criteria (40 CFR Part 261)

Canadian WHMIS: None

### 16. OTHER INFORMATION

HMIS Rating: Health = 1 Flammability = 1 Physical Hazard = 0

SDS Prepared By: Vedia Solutions

SDS Original Date of Preparation: 14.05.2020 SDS Revision Date: --

The information presented herein is believed to be factual and reliable. It is offered in good faith, but without guarantee, since conditions and methods for the use of our products are beyond our control. We recommend that the prospective user determine the suitability of our products and these suggestions before adopting them on a commercial scale.